

INDEX

A

ABS, 1-14, 6-1, 6-33, 8-1
 acrylonitrile butadiene styrene. *See* ABS
 air
 compressed, 10-3
 system, 10-3
 valve, 2-3
 angle valve, 2-3, 7-1, 7-2
 repairs, 7-4
 atmospheric
 pressure, 4-1, 9-2, 9-3, 11-4
 temperature, 10-1
 automatic sprinkler, 1-11

B

back pressure, 9-3
 backflow
 check valve, 7-2
 house sewer, 1-16
 baffle board (wall)
 electric storage heater, 5-4
 grease trap, 1-17
 septic tank, 1-17, 1-20
 ball cock. *See* **flushing mechanisms**
 bathtub, 4-1, 4-20. *See also* **fixtures**
 faucet, 7-6, 7-9, 7-10, 7-14, 7-15
 repairs, 3-8, 3-9
 bending, copper tubing, 6-32
 bend(s), 10-1
 closet, 6-7, 6-9
 fittings, 6-6, 6-7, 6-9, 10-1
 bill(s) of materials (BOM), 1-1, A-1, A-10,
 B-1

bituminous
 compounds, for joints, 6-1, 6-2, 6-41
 -fiber
 fittings, 6-11, 6-37
 pipe, 1-12, 6-1
 cutting of, 6-11
 blueprints. *See* **prints**
 boiler rooms, 10-1
 bolted-flange joints (unions), 6-18, 6-20,
 10-1
 BOM. *See* **bills of materials**
 bonnet
 in forced-air heating, 2-6, 2-7, 2-9
 in valves, 7-2, 7-3, 7-4, 7-5, 7-6
 boot, 2-10
 bowl
 trough, urinal, 4-19
 water-closet. *See* **water-closet**
 bubbler head, 4-25
 building drain, 1-12, 6-8, 9-1
 bushings, 6-20, 6-21

C

capacities, pipe, 1-2, C-1 through C-5
 capillary action, 9-4
 caps, 6-20, 6-21
 carbon monoxide poisoning, 5-3, 5-6
 cast-iron
 pressure pipe, 6-41
 soil pipe, 4-13, 4-16, 4-22, 4-25, 6-1, 6-6
 bends, 6-9, 6-10
 cutting of, 6-11
 fittings, 6-3, 6-10, 6-37, 6-39, 6-40, 6-41

- sewer, 1-12, 1-14
- stack and branches, 8-1, 8-2, 8-4, 8-5
- Ts, 6-7
- traps, 6-10
- water main, 1-7
- Y-branches, 6-8
- caulk (caulking), 6-7
 - iron, 6-12, 6-13, 6-14
 - joints, 6-13, 6-14, 6-15
- cement-mortar joint, 6-41
- center-to-center, 6-4, 6-5
- centrifugal pump, 11-1, 11-2, 11-3, 11-4, 11-5
 - friction loss, 11-3
 - submerged, 11-2
 - submersible, 11-2
- ceramic-disc cartridge faucet, 7-12
- check valve, 7-1, 7-5, 7-6, A-10
 - on compressed-air piping, 10-3
 - on pumps, 11-4
 - on steam heating system, 2-3
 - repairs, 7-2
- chlorinated polyvinyl chloride. *See* CPVC
- chlorine, 1-5, 1-6, 1-11
 - application, 1-6
 - dosage, 1-5, 1-6
- circuit vent, 9-7, 9-8
- cleanout, 1-13, 6-9, 6-10. *See also stoppages*
 - on a branch and main waste line, 3-4, 3-11
 - on a P-trap, 4-16, 9-2
 - on a stack, 8-3, 8-4, 9-5
- clog, 9-4. *See also stoppages*
- close-coupled, 4-4, 4-8, 11-2
- closet. *See water-closet*
- closet bend(s), 4-3 6-7, 6-9
- cold
 - air, ducts, registers, 2-6 through 2-9
 - water supply system, 1-2
- combination compression, faucets, 7-6, 7-7, 7-8, 7-9, 7-11
- combustible, 6-27, 10-2
- comfort zone, 2-8
- common washdown bowl, 4-1, 4-2
- compressed-air, piping, 10-3
- compression
 - faucets, 7-6
 - repairs, 7-10, 7-11
 - fittings, copper, 6-25, 6-26
 - gaskets, 6-12
 - joints, 1-5, 1-8, 1-14, 3-1, 6-25, 6-26, 6-31, 6-41
 - tank, 2-1
 - valve, 4-22, 7-2
- concrete
 - pipe, 1-12, 6-1, 6-2, 6-39
 - shower pan, 4-22
- condensate (condensation), 2-3, 2-4, 10-1, 10-3, 12-1
- conduits, 1-12, 1-14
- construction drawings. *See drawings*
- copper tubing, 6-1
 - bending, 6-32
 - capacity, C-1
 - corrosion, 1-6, 3-1, 6-19
 - curb stop, 1-8
 - cutting of, 6-27
 - fittings, 6-25, 6-26
 - gas and air piping, 10-2
 - gas storage heater, 5-2
 - joints, 1-5, 6-2, 6-3, 6-27, 6-29, 6-30, 6-31
 - sewer, 1-14, 1-15
 - sizes, 1-2, 1-3, 1-4
 - stack and branches, 8-1, 8-2, 8-4
- corrosion, 1-2, 1-6, 1-9, 6-19, 7-6, 7-12
 - repair, 3-1, 3-2
 - resistant, 6-25, 6-32, 6-36
- coupling(s), 6-18, 6-19
 - dresser, 10-4
 - eccentric, 10-1
 - standard, 6-18
 - Tucker-type, 6-9, 6-10
- CPVC, 1-9, 6-1, 6-33

crawl space, 2-1, 2-6, 2-7

cross(es), 6-20, 6-21

curb stop, 1-8

D

design, water supply, theater of operations,
1-11, D-1, D-3, D-4, D-5

DFUs. *See* **drainage**

diaphragm-type, flushometer, 4-1, 4-7, 4-9

dielectric union, 3-2, 6-20

diffusers, 2-7

direct siphonage, 9-2, 9-3

disinfecting, water supply, 1-5, 1-6, 1-11

distribution system

basic, 1-1

cold-water, 1-10

hot-water, 1-9

theater of operations, 1-11, D-1, D-3,
D-4, D-5

plans, 1-1, A-1

dosage. *See* chlorine 1-5, 1-6

dosing chamber, 1-20

double hub, 6-1, 6-6

downflow

forced-air heating, 2-6, 2-7

steam heating, 2-4

drain(s)

assembly, 4-15, 4-18

kitchen sink, 4-18

pop-up plug, 4-15

pull-out plug, 4-15

building, 1-12, 6-8, 9-1

floor, 1-3, 1-4, 3-10

house, 1-12, 1-13, 1-14, 1-15

industrial, 1-12

sanitary, 1-12

storm, 1-12, 1-13

valve, 1-10, 5-1, 5-2, 5-3, 5-4

drainage,

bed, 1-23

fixture units (DFUs), 1-14, 1-15, 8-1, 8-4,
9-8, 9-9

drawings, 1-1, A-1, A-2, A-10, B-1

special detail, A-1

standard detail, A-1

drinking fountain, 4-1, 4-25, 4-26, 9-9

drum trap, 9-1, 9-2

stoppage, 3-9

dry return, 2-4, 2-5

duct(s), 2-6, 2-7, 2-8, 2-9, 2-10

drain, waste, vent (DWV), 1-14, 6-1, 6-25,
6-33, 8-1

dynamic distribution system, D-3

E

eccentric coupling, 6-18, 6-19, 10-1

elbow(s), 6-5, 6-18, 6-19

connections

duct, 2-9

detail, water-closet tank, 4-6

electric storage heater, 5-3, 5-4

electrically cooled, 4-25, 4-26

electrolysis (electrolytic action), 3-1, 3-2,
6-19

emergency repairs, leaks, 3-2

end-to-end, 6-4, 6-5

equivalent length, of pipe, C-1, D-2

evaporation, 9-4

explosion, 5-4, 5-6, 10-3

F

face-to-face, 6-4

factor of simultaneous use, 1-2, 1-3, 1-4

faucet(s), 1-9, 3-1, 7-1

bathub, 7-6, 7-9, 7-10

combination compression, 7-6, 7-7, 7-8,
7-9, 7-11

- compression, 7-6, 7-7, 7-9, 7-10
- installation, 7-8
- noncompression, 7-6, 7-7, 7-9, 7-12
- repair, 1-4, 7-9
- field
 - disposal, 1-19
 - prints, assembled in, 1-1, A-2, B-1
 - sand-filter, 1-25
 - water-heating device, 5-3
- fire hydrants, 1-11
- fittings, 1-1, 1-4, 1-12, 2-10, 4-1, 4-4, 5-4, 6-1, 6-2, 6-3, 6-5, 6-6, 6-8, 6-10, C-1
 - bituminous fiber, 6-37
 - bushings, 6-20, 6-21
 - cast-iron. *See* **cast-iron fittings**
 - cast-iron pressure, 6-41
 - concrete, 6-39
 - copper, 6-25, 6-26
 - couplings, 6-18, 6-19
 - crosses, 6-20, 6-21
 - drainage, 6-17
 - elbows, 6-18, 6-19
 - insulation (covering) on, 12-3
 - neoprene sleeve, 1-14, 6-16, 8-1
 - nipples, 6-20, 6-21
 - ordinary, 6-17
 - plastic, 6-33, 6-34, 6-36
 - plugs and caps, 6-20-6-21
 - symbols, A-10
 - Ts, 6-18
 - unions, 6-18, 6-20
 - vitrified-clay, 6-40
- fixture(s), 1-1, 1-2, 1-9, 1-11, 1-14, 9-1
 - demand, 1-2, 1-3, 1-4, D-10
 - maximum load, D-10
 - supply risers, 1-2, 1-4, 1-9, 1-10
 - symbols, A-10
 - unit values, D-9
 - units per stack, 8-1
 - venting of, 9-6, 9-7, 9-8
- flange, 1-16, 4-2, 4-5, 4-6, 4-15, 4-17, 4-21, 4-22, 6-2, 6-29, 10-1
 - closet, 4-3
 - union, 6-18, 6-20
 - insulation of, 12-2
- flanging, 6-29, 6-30
 - tool, 6-29
- flared fitting, 6-30
- flaring, 6-29, 6-30
 - tool, 6-29
- flashing, 6-2, 8-3
- float
 - cup. *See* **flushing mechanisms**
 - valve, A-2, A-8
- floor drain, 1-3, 1-4, 1-14, 9-1
 - stoppage, 3-10
- floor-mounted, water-closet
 - bowl, 4-2, 4-3
 - tank, 4-4, 4-5
- flush
 - tank, 4-14, 4-19
 - valve, D-9
- flushing mechanisms, 4-6, 4-7, 4-8
 - ball cock, 4-6
 - repairs, 4-8, 4-11, 4-12
 - float cup, 4-6, 4-7
 - repairs, 4-8, 4-12
 - flushometer. *See* **flushometer**
- flushometer, 4-1, 4-7, 4-10, 4-19, 7-2
 - diaphragm-type, 4-1, 4-7, 4-9
 - flow rate, D-10
 - handle repair, 4-10
 - piston-type, 4-7, 4-9
 - repairs, 4-8, 4-9
- flux, 6-2, 6-27
- foot valve, 11-4
- forced-air heating system, 2-1, 2-6, 2-7, 2-8, 2-9
- friction loss, 1-2, 1-4, 6-1, 10-3, 11-3, C-1, D-1 through D-9
- frozen pipes, 1-6, 3-1, 3-2, 3-3
- furnace
 - coil, water heater, 5-1, 5-2
 - for forced-air heating system, 2-6, 2-7, 2-8
 - for water heaters, 5-1, 5-2

insulation for, 12-2
lead-melting, 6-12, 6-13

G

galvanized-steel/iron pipe, 1-2, 1-4, 1-6,
1-14, 3-1, 4-16, 5-2, 6-1, 6-2, 6-16, 6-17,
6-19, 6-25, 8-1, 8-4, 10-2, C-1

gas, 1-9, 3-2, 7-1, 7-2
-fired, 2-6
piping, 10-1, 10-2, 10-3, 10-4
system, 10-2
water heaters, 5-1, 5-2, 5-3, 5-4, 5-5, 5-6

gaskets, 6-2, 6-12, 8-1, 10-4

gate valve, 1-10, 1-22, 4-16, 7-1, 7-2, 10-2
repair, 7-3

gauge valve, 11-4

globe valve, 7-1, 7-2
repair, 7-4

grading. *See also* **slope (sloping)**
fixture supply risers, 1-4
house sewer, 1-16, 1-17
main water supply, 1-4

grease trap(s), 1-17, 1-19, 8-2
stoppage, 3-4

ground union, 6-18, 6-20

H

hammer and cold chisel, 6-11, 6-14

hangers, pipe, 6-2, 8-4, B-1. *See also*
supports

head
on centrifugal pump, 11-2
loss, C-1
static, D-1, D-2

heating system, 2-1, 2-2, 2-3, 2-4, 2-6, A-1
forced-air, 2-6
hot-water, 2-1
plans, 2-1, 2-8
steam-, 2-3, 2-4, 2-5
symbols, 2-1, A-10 through A-20

high-pressure, steam, 2-3, 10-1

horizontal lead joint, 6-13, 6-14

hot-water supply system, 1-9

house

drain, 1-12, 1-13, 1-16
piping, 1-14, 1-15
sewer, 1-12, 1-13
grading, 1-17
installation, 1-16
piping, 1-14, 1-15

hub-and-spigot, 1-14, 6-1, 6-6, 6-9, 6-12,
6-39, 6-40, 6-41

hubless, pipe, 1-14, 6-1, 6-6, 6-16
joint, 6-16
on soil stack, 8-1

I

Imhoff tank, 1-19, 1-22

increaser, 6-8, 6-10

industrial drain, 1-12

insert fitting joint 6-36

insulation

in repairs, 3-2
on boilers, 12-3
on pipes, 6-27, 8-3, 10-2, 12-1
on valves and fittings, 12-3
on water heaters, 12-3

J

joints (joining)

bolted-flange, 6-18, 6-20, 10-1
cement-mortar, 6-41
concrete pipe, 6-39
fiber pipe, 6-12, 6-38
lead pipe. *See* **lead, joints**
plastic, 6-33
soldered, 6-27
solvent-cement, 6-34
threaded pipe, 6-24
vitrified-clay, 6-41

joint materials, 6-1, 6-12, B-1

K

kitchen sink, 4-16, 4-18, 8-2, 9-2. *See also*

fixtures

DFUs, 1-14

pipng, 4-1, 9-9

L

laundry tub, 1-15, 4-23, 4-24, 4-25. *See also*

fixtures

DFUs, 1-14

fixture demand, 1-3

pipe size, 4-1, 9-9

lavatories, 3-4, 4-13, 7-6, 7-7, 7-9. *See also*

fixtures

DFUs, 1-14

fixture demand, 1-3

pedestal, 4-13

pipe size, 4-1, 8-1, 9-9

siphonage of, 9-2

symbols for, A-10

trough, 4-13, 4-19, 4-20

vanity, 4-13

venting of, 9-7

wall-hung, 4-13, 4-14

leaching tank, 1-25

lead, 4-3, 4-21, 4-22, 5-6, 8-5

flashing, 6-2

pipe, for gas piping, 10-2

joints, 1-14, 6-1, 6-2, 6-3, 6-12, 6-13,

6-14, 6-15

horizontal, 6-13, 6-14

hubless, 6-16

vertical, 6-14, 6-15

-melting furnace, 6-12, 6-13

poisoning, 5-6

shower pan, 4-21, 4-22

leaks, 3-1, 3-2, 4-21, 10-2, 10-4, 11-3

repair of, 3-1, 3-2

in showers, 4-21

testing for, 1-5, 6-7, 8-5

valves, 7-3, 7-4, 7-10, 7-12, 11-4

lift-check valve, 7-6

low-pressure, steam, 2-3, 2-4

M

magnesium rods, 3-2

main

cleanout. *See cleanout*

sewer, 1-16

soil and waste stack, 8-2, 8-3, 9-5

soil and waste vent, 8-2, 8-3, 9-5

water supply line, 1-2, 1-4

vent, 8-2, 8-3, 8-4, 9-5, 9-6, 9-7, 9-8

vent T, 8-2, 8-3, 8-4, 9-5

manhole, 1-17, 1-18

materials, joint, 6-1, 6-2

maximum fixture demand, 1-2, 1-3, 1-4, 8-1

measurements (measuring), pipe, 6-3, 6-4, 6-5

cast-iron soil, 6-11

concrete, 6-39

copper tubing, 6-25

plastic, 6-33

vitified-clay, 6-40

mechanical seal joint, 6-41

mechanical-compression joint, 1-14, 6-31

medium wall, 6-1, 6-25

mess-kit, 5-3, 5-4

metal cartridge faucets, 7-12

meter

stop, 1-8

water, 1-8

N

National Plumbing Codes, 1-2, 1-11, 1-12

neoprene sleeve, 1-14, 6-16, 8-1

nipples, 6-20, 6-21

noncompression faucets, 4-24, 7-6

repairs, 7-9

O

O

- oakum, 1-16, 4-3, 6-1, 6-3, 6-12, 6-13, 6-14, 6-15, 6-39, 6-41, 8-4, 8-5
- offset, 8-2, 8-3, 9-5
 - boot, 2-10
 - fitting, 6-8, 6-10
 - measurement, 6-5, 6-6
- oil, 1-9, 2-6
 - water heaters, 5-1, 5-2, 5-3, 5-4, 5-5, 5-6
 - joint material, 6-3
 - cutting, 6-21, 6-22, 6-23
 - as pump lubricant, 11-4, B-1
 - fired
 - forced-air, 2-6
 - water heater, 5-3
 - water, water heater, 5-3, 5-5, 5-6
- one-pipe
 - hot-water supply, 1-9
 - hot-water heating, 2-1, 2-2
 - steam heating, 2-3, 2-4
- operation hazards. *See also safety*
 - on water heaters, 5-6

P

- P-trap, 4-14, 4-15, 4-16, 4-19, 4-23, 4-25, 6-8, 6-10, 9-1
 - stoppages, 3-4, 3-6, 3-7, 3-8, 9-2
- PB, 6-1, 6-33
- PE, 6-1, 6-33
- pedestal, 4-13, 4-25, 4-26
- pipe
 - capacities, 1-14, 1-15, C-2 through C-5
 - characteristics, 6-1
 - cutter, 6-11
 - engagement, 6-3, 6-4, 6-5
 - expansion, 10-1
 - fittings. *See fittings*
 - friction. *See friction loss*
 - hangers. *See hangers, pipe*
 - joint compound, 6-2, 6-3, 6-24
 - measurements, 6-3, 6-4, 6-5

- noises in, 10-1
- pressure in, 1-2
- selection, 1-2, 1-9, 1-12, 6-1, 8-1
- size, 1-2, 1-3, 1-4, 1-14, 1-15, 4-1, 5-4, 6-12, 6-16, 6-22, 8-1, 9-8, 9-9, D-3
- strength
 - Schedule 40, 6-16
 - Schedule 80, 6-16
- supports. *See supports, pipe*

- piston-type, flushometer, 4-7, 4-9
- pitch, 6-2, 10-1. *See also slope and grading*

plans

- basic water supply system, 1-1, A-1
- theater of operations water supply, 1-11
- sewerage system, 1-12, 1-19, 1-25
- hot-water heating system, 2-1
- forced-air heating system, 2-8
- waste system, A-1
- symbols on, A-10
- bill of materials for, B-1

plastic

- joint, 1-5, 6-36
- pipe, 4-18, 4-23, 6-1, 6-37, 8-4, 10-2, C-1
- in sewerage system, 1-12, 1-14

plastisol joint, 6-41

plenum, 2-6, 2-7

- plugs, 1-6, 3-2, 6-20, 6-21
 - cleanout. *See cleanout*
 - pop-up. *See pop-up plug*
 - pull-out. *See pull-out plug*

plumbing system, 1-1, A-1

plunger, 3-4, 3-5, 3-6, 4-10

polybutylene. *See PB*polyetylenec. *See PE*polyvinyl chloride. *See PVC*

- pop-up plug, 3-6, 4-15, 4-23
 - repairs, 4-15, 4-16, 4-17

- pressure, 1-10, 6-41, 8-5, 9-1
 - at service connection, D-2
 - atmospheric, 9-2, 9-3

back, 9-3
 in gas and air piping, 10-2, 10-3, 10-4
 on pumps, 11-1, 11-2
 -relief valve, 5-1, 5-2, 5-3, 5-4, 11-4
 steam, 2-3, 2-4, 2-5, 10-1, 10-2
 water, 1-2, 1-5, 4-1, 7-2, D-1 through D-9

priming, 11-2, 11-3, 11-4, 11-5

prints, 1-1, A-2

pull-out plug, 4-15

pumps, 11-1, A-1. *See also centrifugal pump*

PVC, 6-1, 6-33, 6-41

R

radiator
 hot-water heat, 2-1, 2-2
 steam heat, 2-3, 2-4

range boiler, 5-1, 5-2

reaming, steel pipe, 6-20, 6-22, 6-26

reciprocal pump, 11-1

reducing coupling, 6-18

relief valve, 4-9, 5-1, 5-2, 5-3, 5-4, 11-4

repairs, 1-6, 1-11, 4-1. *See also stoppages*
 corrosion, 3-1, 3-2
 faucets, 7-9
 flushing mechanisms, 4-8
 ball cock, 4-11, 4-12
 float cup, 4-12
 flushometer handle, 4-10
 frozen pipes 1-6, 3-1, 3-2
 pipe, temporary, 3-2
 pop-up plug, 4-16
 pumps, 11-4
 valves, 3-1, 3-2, 7-2

return registers, forced-air, 2-6, 2-7

reverse-trap bowl, 4-1, 4-2

rotary pump, 11-1

running trap, 6-8, 6-10, 9-1

S

S-trap, 6-10, 9-1, 9-2

safety, 5-1, 6-12, 6-40, 10-2
 gas and air piping, 10-4
 valve, 10-3, 11-4
 water heaters, 5-6

sand-filter field, 1-19, 1-25

sanitary
 drain. *See house drain*
 drainage, 4-1, 4-13, 6-33, 6-34, 6-39,
 6-40, 8-2, 9-1, 9-3, 9-7
 sewer. *See house sewer*
 T, 6-7, 6-34, 8-2, 9-7

scale, 1-6, 3-1, 3-4

schedule 40/80. *See pipe strength*

scullery sink, 4-16, 4-18, 8-2. *See also fixtures*
 pipe size, 4-1, 9-9

self-siphonage, 9-2, 9-3

septic tank, 1-12, 1-17, 1-19, 1-25

service connection, D-2, D-4

sewer
 house. *See house sewer*
 thimble, 1-16, 6-9, 6-10

shower, 3-4, 3-10, 5-3, 6-2, 7-6, 7-9, 7-14,
 8-2. *See also fixtures*
 drain, 3-10, 4-21
 DFUs, 1-14
 fixture demand, 1-3
 head, 4-20, 4-21, 4-22, 4-23, D-9
 pan, 4-21, 4-22, 6-2
 piping, 4-1, 4-20, 8-2, 9-9
 exposed, 4-22, 4-23
 unexposed, 4-22, 4-24
 tile, 4-20

shutoff valve, 4-8, 4-16, 7-9

side-arm, water heater, 5-2

single compression faucet, 7-7, 7-9, 7-11

- sink(s), 1-17, 7-1, 7-6, 8-2. *See also* **drain and fixtures**
 kitchen, 4-1, 4-16, 4-18, 8-2, 9-2
 slop. *See* **slop sink**
 symbols, A-10
 trap seal, 9-3
 venting, 9-9
- siphon-jet bowl, 4-2
- siphonage
 back, 1-10
 chamber, on septic tank, 1-20
 direct, 9-2, 9-3
 indirect, 9-3, 9-4, 9-6
- slop sink, 1-14, 4-16, 4-18, 8-2, A-1
 fixture demand, 1-3
 piping, 4-1, 9-9
- slope (sloping). *See also* **grading**
 manholes, 1-17
 pipes, 8-4, 10-1, 10-3
- snake, 3-4, 3-6, 3-7, 3-8, 3-9, 3-10, 3-11
 straight, 3-5
 water-closet, 3-5
- soil
 absorption rates, 1-23
 and waste vent, 8-2, 8-3, 9-5
 percolation, 1-23, 1-24, 1-25
 pipe. *See* **cast-iron soil pipe**
 -pipe cutter, 6-11
- solder (soldering), 6-2, 6-3, 6-25, 6-27, 6-28, 6-31, 6-33
- solvent cement, 1-14, 6-2, 6-3, 6-34
- special detail drawings, 1-1, A-1
- stack, 2-10, 6-8, 8-1, 9-3, 9-5
- stall
 shower, 4-21
 urinal, 4-19, 4-20, 4-21
- standard
 coupling, 6-18
 detail drawings, 1-1, A-1
- static head, D-1, D-2
- steam-heating systems, 2-3, 2-4, 2-5
- steam piping, 10-1, 10-2
- stop-and-waste valve, 1-4, 1-8, 7-1, 7-2
- stoppage(s), 3-4, 9-8
 bathtub, 3-8, 3-9
 cleanouts, 8-4
 clearing tools, 3-5
 drum trap, 3-9
 lavatory, 3-6, 3-7
 P-trap. *See* **P-trap**
 shower, 3-10, 8-2
 sink, 3-6, 3-7
 water-closet, 3-5
 water-line, 3-11
- storage tank, water, 1-1, 5-1, 12-3, A-2
- storm
 drain, 1-12, 1-13
 drainage, 6-36, 6-39, 6-40
 sewer, 1-12, 1-13
- subsurface drainage. *See* **drainage bed**
- sump pump, 1-4, 11-1
- supports, pipe, 6-16, 6-32, 6-36, 8-4. *See also* **hangers, support**
- swaged joint, 6-31, 6-32
- swing-check valve, 7-2, 7-5
- symbols, A-1, A-10 through A-20

T

- tank(s), 3-2, 4-4, 12-2, A-1
 flush, 1-12
 Imhoff, 1-19, 1-22
 leaching, 1-25
 septic, 1-17, 1-19, 1-20
 water-closet. *See* **water-closet**
- tapping the water main, 1-7, 1-8
- temperature-relief valve, 5-1, 5-2, 5-3, 5-4
- test T, 6-7, 8-2, 8-3, 8-4, 8-5

testing
 house sewer, 1-16
 gas and air piping, 10-3
 waste system, 6-7, 8-4
 water supply system, 1-5, 6-20

thawing frozen pipe, 1-6, 3-2, 3-3

theater of operations, 1-1, 1-11, 1-12, D-1, D-9

thick wall, 6-1, 6-25

thin wall, 6-1

threading, steel pipe, 1-7, 6-22, 6-23, 6-33, 10-4

tile shower, 4-20

trap seal, 6-8, 9-1. *See also* **water seal**
 loss, 6-8, 9-2, 9-3, 9-4
 by back pressure, 9-3, 9-4
 by capillary action, 9-4
 by direct siphonage, 9-2, 9-3
 by evaporation, 9-4
 by indirect (momentum) siphonage, 9-3

trough
 lavatory, 4-13, 4-19, 4-20
 urinal, 4-19, 4-20

Ts, 2-2, 2-9, 6-6, 6-7, 6-18

tucker coupling, 6-9, 6-10

two-pipe
 hot-water heating, 2-1, 2-2
 hot-water supply, 1-10
 steam heating, 2-3, 2-4, 2-5

U

union(s), fitting, 10-3
 dielectric, 3-2, 6-19, 6-20
 flange, 6-18, 6-20
 ground, 6-18, 6-20
 symbols, A-9

upflow
 forced-air heating, 2-6
 steam heating, 2-4, 2-5

urinals, 3-4, 4-1, 4-19, 4-20, 8-2, A-9. *See also* **fixtures**
 DFUs, 1-14
 fixture demand, 1-3
 piping, 4-1
 stall, 4-19, 4-20, 4-21
 trough, 4-19
 wall-hung, 4-19, 4-20

utility plan, A-1

V

valve(s), 1-4, 1-11, 5-1, 10-2, 10-3, 10-4, 11-4, 12-3, A-1, C-1
 air, 2-3
 angle. *See* **angle valve**
 check. *See* **check valve**
 compression, 4-22, 7-2
 drain. *See* **drain valve**
 float, A-2, A-9
 flushometer, 4-7
 foot, 11-4
 flush, D-9
 gate. *See* **gate valve**
 gauge, 11-4
 globe. *See* **globe valve**
 insulation for, 12-2
 repair of, 3-1, 3-2, 3-7, 7-2
 safety, 10-3, 11-4
 shower, 4-22
 shutoff, 4-8, 4-16, 6-31, 7-9
 symbols for, A-10

vanity lavatory, 4-13

vapor
 burner, 5-3, 5-4, 5-5, 5-6
 heat, 2-3, 2-4, 2-5

vent(s) (venting), 6-6, 9-1, 9-5
 circuit, 9-7
 common-vented, 9-7
 for fixtures in a row, 9-6
 individual, 9-6
 wet, 9-8

vent through the roof (VTR), A-1, 8-2, 8-3, 9-5

vertical lead joint, 6-14, 6-15
 vitrified-clay,
 pipe, 1-12, 6-1, 6-2, 6-39, 6-40, 6-41

W

wall-hung
 drinking fountain, 4-25, 4-26
 kitchen sink, 4-16
 lavatory, 4-13, 4-14
 tank, 4-5, 4-6
 urinal, 4-19, 4-20
 water closet, 4-2, 4-4

washdown bowl with jet, 4-1, 4-2

water-closet, A-5. *See also* **fixtures**
 bowl
 common washdown, 4-1, 4-2
 reverse-trap, 4-2
 siphon-jet, 4-2
 washdown with jet, 4-1, 4-2
 bend, 6-7
 DFUs, 1-14
 fixture demand, 1-3
 flushing mechanisms. *See* **flushing mechanisms**
 installation
 floor-mounted, 4-2
 wall-hung, 4-4
 snake. *See* **snake**
 stoppage, 3-5
 symbols, A-10
 tank, 4-1, 4-6, 4-11, 4-12
 venting, 9-9

water
 flow rate, D-9
 fountain, 4-1, 4-25, 4-26, 9-9. *See also* **fixtures**
 hammer, 2-3, 10-1
 heaters, 1-9, 3-2, 5-1, 7-2
 insulation of, 12-2
 operation hazards, 5-6
 distribution system. *See* **distribution system**
 main, 1-9, 4-1
 tapping of, 1-7, 1-8

pressure, 1-2, 1-5, 7-2
 seal, 3-4, 4-1, 4-19, 6-8, 9-1, 9-2, 9-3, 9-4
 softener, 3-4
 supply service, 4-6
 -supply connection, 4-8, 4-16, 4-22
 supply system,
 basic, 1-1
 cold-water, 1-2
 hot-water, 1-9
 theater of operations, 1-11

wet vent, 9-8

Y

Y-branches, 6-6, 6-7, 6-8