

INDEX

Illustrations and tables are shown in bold-face type.

- AASHTO. *See* responsibilities.
- aligning frame, 8-18
 - straightening a pile using an aligning frame, 8-18**
- anchorage, 5-13 thru 5-16
 - roadstead, 5-13**
- Army water terminal, C-6
- Army equipment, 10-1 thru 10-5
 - Class 60, 10-2 thru 10-4
 - Class 60 raft classes, dimensions, and propulsion requirements, 10-4**
 - M4, 10-3 thru 10-5
 - M4 raft classes, dimensions, and propulsion requirements, 10-5**
 - M4T6, 10-1 thru 10-3
 - M4T6 float section, 10-1**
 - raft classes, dimensions, and propulsion requirements, 10-2**
- balk, 10-1 thru 10-3
- batter, 8-28
- batter piles. *See* piles
- beach profile, 5-1**
- bearing piles. *See* piles.
- bending moment, 5-5
- bent, 8-11 thru 8-13
- berm, 5-1
- bilge, 10-7
- block and tackle, 8-17, 8-18
 - straightening a pile using a block and tackle, 8-17**
- bollards, 9-1
 - single- and double-bitt bollards, 9-1**
- bracing, 8-11
 - brace connected to concrete pile (external bracket-bracing method 3), A-19**
 - brace connected to concrete pile with concrete anchor (bracing method 4), A-20**
 - brace connected to steel beam pile (bracing method 2), A-18**
 - brace connected to timber or steel pipe pile (bracing method 1), A-17**
 - flexible braces, 8-20**
 - transverse bracing and cap, 8-11**
 - transverse, longitudinal, and horizontal bracing for extreme tidal range, 8-12**
- breakwaters, 5-1 thru 5-4
 - rubble-mound breakwater, 5-3**
- bulkheads, 5-5 thru 5-7
 - bulkhead using steel sheet piles and tie-rods, 7-3**
 - concrete bulkhead, 5-6**
 - steel bulkhead, 5-6**
 - timber bulkhead, 5-5**
- caissons, 11-1
- camels, 9-7
- cantilever, 5-8
- catamaran, 2-3
- catwalk, 8-21

- causeways, 10-1 thru 10-18
 - causeway, 10-3
 - causeway arrangement 1 (with pontoon wharf), 10-16
 - causeway arrangement 2 (with pontoon wharf), 10-17
 - causeway arrangement 3 (with pontoon wharf), 10-18
 - causeway using reinforced construction, 10-4
 - in-shore causeway section, 10-15
- caving, 6-6
- chocks, 8-28
 - chocks, 9-2
 - stringpiece, 8-29
- Class 60 bridge. *See* Army equipment.
- cleat, 9-2
 - plan and elevation views of an open wide-base cleat, 9-2
- conduit, 1-3
- coring, 2-4
- corner mooring posts, 9-1
 - plan and elevation views of a corner mooring post, 9-2
- CPM (Critical Path Method), 4-5
- cradle, 3-9
- cribs, 5-15, 5-16
 - rock-fill timber crib, 5-15
- damage evaluation, 4-7
- decks, 8-23 thru 8-30
- DeLong barges, 11-1 thru 11-10
 - compressor positions, 11-4
 - control panels, 11-2
 - shore connection span, 11-3
 - suitable and non-suitable soils for erecting DeLong barges, 11-6
- dike, 7-2
- diving, C-1 thru C-12
 - diving limitations, C-12
 - engineer diver deployment in the theater, C-2
 - request channels for engineer divers, C-3
- dolphins, 9-7 thru 9-9
 - timber pile cluster dolphins, 9-8
- dredging, B-1 thru B-3
- dry dock, C-7
- end-bearing pile. *See* piles.
- engineer. *See* responsibilities.
- expedient construction and repairs. *See also* repair. 12-1 thru 12-18
 - cross sections of an expedient pile cap, A-36
 - plan and elevation views of an expedient pile cap, A-35
- fendering systems
 - chocks. *See* chocks.
 - corner fender pile clusters, 9-5
 - energy to be absorbed by fenders, 11-13
 - erection of, 8-28 thru 8-30
 - fender piles, 8-28, 9-4
 - wales. *See* wales.
- fetch, 2-5
- foundation, 12-2 thru 12-7
 - concrete foundation, 12-3
 - container-floor or steel-plate foundation, 12-4
 - rubble foundation, A-1
 - steel beam foundation, 12-2
- frictional pile. *See* piles.

- graving dock, 3-9
- groins, 5-7 thru 5-10
 - cast-in-place concrete groin, 5-9**
 - rubble-mound groin, 5-10**
 - steel groins, 5-8**
 - steel sheet pile groins, 5-8**
 - timber groins, 5-7**
- harbors, 2-1 thru 2-5
 - bottom holding characteristics, 5-14**
- hopper, 4-2, B-1
- jetties, 5-10
 - quadripod armor units in jetty construction, 5-11**
- jetting, 5-7, 8-2
 - straightening a pile using a jet, 8-18**
- landing ramps, 5-16
- LCM (landing craft, mechanized), 11-5
- lighter, 4-3
- locks, 4-8
- long-shore, 6-6
- LOTS (Logistics Over the Shore), 1-4, C-5
- low watermark, C-10
- LSD (landing ship, dock), 10-9
- LST (landing ship, tank), 10-9
- M4 floating bridge. *See* Army equipment.
- M4T6 aluminum pneumatic floating bridge. *See* Army equipment.
- marine railway, 3-9
 - expedient marine railway, 12-18
 - marine lift, 12-18
 - rail nets, 6-2
- marine borers, 8-7 thru 8-10
- mastic, 8-25
- maul, 2-4
- MHE (materials handling equipment), 6-5
 - characteristics and requirements of commercial container off-loading equipment, 6-5**
- moles, 3-8, 7-1
- mooring, 5-14
 - mooring piles, 9-6**
 - ship data for mooring operations, 11-12**
 - timber platform with mooring hardware installed, 8-25**
- Navy equipment, 10-5 thru 10-18
 - 3 by 4 pontoon tug, 10-12**
 - 3 by 14 warping tug with A-frame, 10-13**
 - 4 by 15 pontoon drydock, 10-14**
 - 4 by 15 and 6 by 30 pontoon drydock data, 10-13**
 - 5 by 12 pontoon barge, 10-10**
 - 10 by 30 pontoon barge, 10-11**
 - P-series pontoons, 10-5 thru 10-18
 - P1 pontoon, 10-6**
 - P2 pontoon, 10-6**
 - P3 pontoon, 10-6**
 - P4 pontoon, 10-7**
 - P5 pontoon, 10-7**
 - size, capacity, and draft of P-series pontoons, 10-8**
 - sloping barge with ramp attached, 10-9**
 - weights and volumes of P-series pontoons, 10-8**
- Navy. *See* responsibilities.
- NL (Navy lighter), 10-5

obstacles and obstructions

- clearing, 4-7
- engineer responsibilities, 1-1, 1-4
- locating, 2-3, C-6 thru C-9

OCE (Office of the Chief of Engineers). *See* responsibilities.

pad eyes, 9-2

pad eye, 9-3

P-series pontoons. *See* Navy equipment.

PERT (Program Evaluation and Review Technique), 6-8

piers

- angled pier-and-slip system, 3-7
- finger-pier system, 3-7
- finger piers, 11-7**
- pier-and-slip system, 3-6
- spud-type barge piers, 6-5
- square-pier system, 3-5

pile bents. *See* piles.

pile clusters. *See* piles.

pile driving operations, 5-5 thru 5-7, 8-21 thru 8-23

skid-mounted pile driver, 8-23

pile wharves. *See* piles.

piles, 8-1 thru 8-31

alternate forms, A-10

batter piles, 7-1

bearing piles, 8-1 thru 8-13

bundled wood columns, A-6

container used as pile replacement (support structure), 12-7

cross-sectional area formulas for adjacent pile, A-2

cross section of 14- by 14-inch pile, 8-4

equivalent steel cross-sectional area, A-4

fender piles, 8-28, 9-4

floating template, 8-22

heavy timber piling, 8-6

interlocking piles, 8-7

joining like-diameter piles (connecting method 1), A-21

joining like-diameter piles (connecting method 2), A-22

joining like-diameter piles (connecting method 3), A-23

joining like-diameter piles (connecting method 4), A-24

joining piles at the ocean floor with concrete (connecting method 6), A-26

joining piles at the ocean floor with concrete (connecting method 7), A-27

joining steel column to base pile (connecting method 5), A-25

maximum allowable loads per pile, 8-10

pile bent common to the wharf and the approach, 8-15

pile bents, 8-11 thru 8-13

pile clusters, 9-5

pile clusters used to replace/supplement mooring hardware, 8-28

piles cut to elevation exposing steel reinforcing bars, 8-26

pile wharves, 7-1

planking, 8-6

precast-prestressed concrete sheet piles, 8-8

railroad rails and planking, 8-9

reinforced concrete pile repairs using "sea forms", A-9

reinforcing steel, 8-27

replacement timber diameter determination, A-3

sawing guides nailed across piles, 8-19

sheet piles, 5-5 thru 5-11, 7-2 thru 7-4

steel columns, A-7

- straightening, cutting, capping, and bracing steel piles, 8-21
- structural elements of pier or wharf with damaged pile, A-2
- timber grillwork, 8-30
- tongue and groove piling, 8-5
- wakefield piling, 8-6
- welded steel rail column, A-8
- wood columns, A-5
- POL (petroleum, oils and lubricants), 1-3, 3-8
- power capstan, 9-3
 - power capstan, 9-3
- pusher, 6-2
- quartermaster. *See* responsibilities.
- quays, 3-3 thru 3-5
 - quay in front of existing seawall, 6-5
- quay wall, 12-16
 - expedient quay wall repair, A-38
- recompression chamber, C-4
- releasing hooks, 9-3
 - releasing hooks, 9-3
- repair, 12-1 thru 12-18
 - alternate installation methods for repair modules (type A or B), A-32
 - assumptions for plate repair design, A-28
 - exploded isometric view (type A repair module), A-31
 - expedient quay wall repair, A-38
 - isometric view of type A module, A-29
 - optimized component placement for repair modules, A-37
 - plan and cross section (type A repair module), A-30
 - repair using steel plate reinforced by steel beams, A-33
 - steel beam mat concept repair, A-39
 - steel plate reinforced with steel beams, A-34
- responsibilities
 - AASHTO, 10-5
 - engineer, 1-1 thru 1-5, 3-2
 - Navy, 1-1, 4-5 thru 4-7
 - quartermaster, 1-2, 1-3, 3-8
 - TASCOM (Theater Army Support Command), 1-1, 3-2
 - TRANSCOM (Transportation Command), 3-2
 - transportation, 1-1 thru 1-4
- revetment, 5-7
- riprap, 5-4
- screed, 8-24
- scuba diving, C-5, C-12
- scupper, 8-25
- seawalls, 5-11
 - curved-face seawall, 5-12
 - rubble-mound seawall, 5-12
- sheet pile. *See* piles.
- shim, 12-15
- ship's channel, C-6
- shoes, 8-2
 - pointed- and flat-plate shoes, 8-2
- slack, 6-1
- slip, 3-6 thru 3-8, 6-9
- slurry, 7-4
- spud-type barge piers. *See* piers.
- stringers, 8-14, 8-22 thru 8-31
 - installing a stringpiece, 8-24

- surveys, 2-1 thru 2-4
 - bottom survey, 2-3, 2-4
 - hydrographic survey, 2-1, 2-2
 - methods, 2-1, 2-2
 - responsibility for, 2-1
- sweeping, 2-3, 4-7
- swell, 2-5
- TASCOM (Theater Army Support Command). *See* responsibilities.
- tides
 - tidal current, 2-4, 2-5
 - tidal prism, 2-5
 - tidal wave, 2-5
- TRANSCOM (Transportation Command). *See* responsibilities.
- tremie, 5-7, 5-11
- trestle, 8-14
- truss, 12-8
 - steel truss, A-14**
 - steel truss pile cap connection, A-16**
 - steel truss pile connection, A-15**
 - timber truss, A-11**
 - timber truss pile cap connection, A-12**
 - timber truss pile connection, A-13**
- tsunami, 2-5
- turnbuckle, 7-4
- wale, 8-29, 9-5
 - wales, 9-5**
- warp, 9-8
- wave-resistant walls, 5-5 thru 5-13
 - bulkheads. *See* bulkheads.
 - groins. *See* groins.
 - jetties. *See* jetties.
 - revetments. *See* revetments.
 - seawalls. *See* seawalls.
- waves, 2-5 thru 2-7
- wharf hardware, 9-1
 - bollards. *See* bollards.
 - corner mooring posts. *See* corner mooring posts.
 - cleats. *See* cleats.
 - chocks. *See* chocks.
 - pad eyes. *See* pad eyes.
 - power capstan. *See* power capstan.
 - releasing hooks. *See* releasing hooks.
- wharves
 - cold weather wharf, 8-12**
 - earth-fill wharf structures, 7-1
 - floating wharves, 10-1
 - types, 3-3 thru 3-7
 - linear feet of berthing spaces, 3-3**
 - location and layout, 6-1 thru 6-10
 - mooring lines beyond the ends of the wharf, 6-4**
 - pile wharves, 8-1 thru 8-31
 - precast concrete module, 8-16**
 - T-type marginal wharf, 11-7**
 - wharf hardware, 9-1 thru 9-4
 - wharf layout, 3-4**