

Index

- Abney level**, 2-7, 4-4
air circulation in lumber, 9-1
air drying, 9-1

back cut, 5-4
barber chair, 5-4
bark, 2-1, 2-2,
baseline distance, 2-5
belts, 8-2, 8-20
billets. *See bolts and billets*
block setter, 8-6
bolt, 8-10. *See also bolts and billets*
bolts and billets, 6-3
boom extension, 1-2
boss dogs. *See dogs, boss*
box, 9-4
 piling, 9-4
broken down sapwood, 6-9
brushing out, 5-2
bucking, 6-1
butt, tree, 5-3, 5-4, 5-7, 5-8

cable. *See also winch, cable*
 logging, 7-4
 pull-by, 5-1
cant hook, 8-3
carriage, 8-2, 8-3, 8-10
 and trackway, 8-1
cfm. *See cubic foot (feet) per minute (cfm)*

chain saw, 1-2, 5-4
 techniques, 5-6
chains, 7-2, 7-4
choker, 7-1, 7-2. *See also hooks, choker*
circular rot. *See rot, circular*
classification. *See log classification*
cleaning, 3-3
clear-cutting method, 3-2. *See also regeneration methods*
clearing work space, 5-2
clutch, 8-11
cold loading. *See loading, cold*
come along, 5-6
coppice system, 3-1. *See also forest systems*
cracks, spiral, 8-16
crane(s), 1-2, 7-5
crawler tractor, 1-2, 4-7, 7-5
crew, 4-4, 4-8. *See also safety*
 cruising, 2-13
 hauling, 1-2
 sawmill, 8-6
crib piling, 9-3
crook, 6-9
crossbeam, 9-4
crotch, 6-1, 6-9
 grabs, 7-2, 7-4
crown thinning, 3-3. *See also thinnings*
cruising, 2-7, 2-12
 operations, 2-12
 timber, 2-7
cubic foot (feet) per minute (cfm), 1-2

- cull logs, 6-9
- culvert(s), 4-6
 - ditch-relief, 4-6
- cut and fill, 4-5
- cutoff
 - operator, 8-9
 - rig, 8-7, 8-9
- cutting(s)
 - improvement, 3-3
 - intermediate, 3-3
 - irregular shelterwood, 3-2
 - liberation, 3-3
 - logs, 6-1
 - release, 3-3
 - sanitation, 3-3
 - trees, 5-1, 5-2

- DBH. See diameter at base height (DBH)**
- deductions, 6-7
- defects, 6-7, 6-8, 6-9, 8-16, 8-17
- design, 4-5
- devices, ground-skidding, 7-4
- diameter, 2-3, 6-6, 8-10
 - at base height (DBH), 2-1 through 2-4, 2-9, 2-14
 - inside bark (DIB), 2-2, 2-3, 2-5, 6-4, 6-5, 6-7, 6-10
 - outside bark (DOB), 2-2, 2-5
 - tape, 2-1 through 2-4
- DIB. See diameter inside bark (DIB)**
- direction of fall, 5-1, 5-8
- directional felling, 5-2
- ditch-relief culverts. *See culvert(s), ditch-relief*
- DOB. See diameter outside bark (DOB)**
- dogs, 8-2, 8-4, 8-5, 8-11, 8-14
 - boss, 8-2, 8-6
 - hammer, 8-2, 8-6
- dogger, 8-6
- drainage, 4-5, 7-1, 9-1
- drying, 9-1, 9-3
- Dutchman, 6-1

- edger, 8-6, 8-9, 8-11, 8-12, 8-14, 8-15
- edging, 8-17
- end piling, 9-3
- end racking, 9-3
- engineer forestry team, 1-1. *See also team(s)*
- equipment, 4-2, 4-4
 - logging, 1-2
 - sawmill, 8-1
 - skidding, 7-1
- erosion, 4-1, 7-1
- estimating
 - tree volume, 2-9
 - with tables, 2-9
 - without tables, 2-11,
- even-aged system, 3-1. *See also forest systems*

- feed rope, 8-10
- felling
 - clear, 3-2
 - crew, 5-7
 - directional, 5-2
- fire scar, 6-9
- fixed post. *See dogs*
- foot (feet) per second (fps), 4-6
- foreman, 1-1. *See also sawyer*
- forest, 6-1
 - products, 1-1
 - systems, 3-1
- forked tree, 2-4
- forklift(s), 1-2
 - grapple-mounted, 7-5, 7-6
- foundations. *See pile foundations*
- fps. *See foot(feet) per second (fps)*
- frost check, 6-9
- frozen timber, 8-19
- fuel wood, 6-1, 6-3

- geometric thinning, 3-4
- grabs, 7-2, 7-4

- grade(s), 4-1, 4-4, 4-8, 7-1
log, 6-2
- grade and slope stakes, 4-4
- grading, 3-2, 3-4, 6-2, 6-3. *See also* sawing procedures
- grapple. *See* forklift(s), grapple-mounted
- green
lumber, 9-1
-to-dry conditions, 8-17, 8-18
- ground-skidding. *See* procedure(s), ground-skidding
- hammer dog. *See* dogs, hammer
- hand stacking, 9-1
- hardwood, 6-1, 8-12, 8-15
- headblock, 8-1, 8-6, 8-19, 8-20
- headblock type, 8-1
- headsaw, 8-1, 8-11, 8-19. *See also* saw(s)
- headsaw guide, 8-1
- heart check, 6-9
- height of leaning tree, 2-7. *See also* measuring tree height
- herringbone pattern, 5-2
- high-forest system, 3-1. *See also* forest systems
- high-grading, 3-2, 3-4
- holding a corner, 5-4
- hookaroon, 7-4
- hooks, 7-1, 7-2, 8-10, 8-19, 8-20
choker, 7-1
- hot loading. *See* loading, hot
- Humboldt undercut, 5-3
- husk, sawmill, 8-11
- improvement cutting. *See* cutting(s), improvement
- inclined trees. *See* tree(s), inclined
- indicators, 8-3, 8-16
- instruments, tree measuring, 2-1
- intermediate cuttings. *See* cutting(s), intermediate
- irregular shelterwood cutting. *See* cutting(s), irregular shelterwood
- landing(s), 7-5, 7-6
- layout. *See* lumberyard, layout
- leaning tree. *See* height of leaning tree; tree(s), leaning
- lengths, 6-1, 6-2, 6-3, 6-4, 8-15, 8-18, 9-4
- liberation cutting. *See* cutting(s), liberation
- light, 7-4, 8-1, 8-19
- limbing, 5-2, 6-1
- loading, 8-20
cold, 7-4
hot, 7-4
- location
of plots, 2-13
road, 4-1
- lodged trees. *See* tree(s), lodged
- log(s)
-beam mechanism, 8-1
classification, 6-3
grader, 6-2
grades, 6-2
log scaling, 6-3
sawing oversized, 8-18
skidder, 8-6
turners, 8-3
- loggers, 1-1, 3-1, 5-1
- logging
basics, 1-1
equipment, 1-2, 4-2
operation, 1-1, 5-2
personnel, 1-1
- logs. *See also* turners, logs
circular, 6-8
rectangular, 6-8
with spiral cracks, 8-16
- low-forest system, 3-1. *See also* forest systems
- low thinning, 3-3. *See also* thinnings
- lumber, 8-1. *See also* prop, lumber stackers, 8-9

- lumberyard**
 - layout, 9-1
 - operations, 9-1
- making**
 - partial timber estimates. *See parallel-strip method and sample-plot method*
 - the undercut 5-3
 - the back cut 5-4
- measuring**
 - heights, 2-5, 2-7
 - instruments, 2-1, 2-3
 - logs, 6-3
 - trees, 2-1 through 2-3
- military.** *See road(s), military; sawmill(s), military*
- milling, 8-12**
- millwright, 8-9**
- mine timber, 6-3**
- night operations, 8-20**
- notching, 5-3.** *See also making the undercut*
- off bearer, 8-7**
- one-cut shelterwood, 3-2**
- oversized.** *See logs, sawing oversized*
- overstory removal, 3-2**
- parallel-strip method, 2-14**
- part(s) per million (ppm), 4-1, 4-2**
- percentage reading, 2-7**
- pile construction, 9-1**
- pile foundations, 9-1**
- piling, 6-3,**
 - box, 9-4
- poles, 4-6, 6-3**
- portable**
 - sawmill, 8-6
 - sawmill crew, 8-6
- ppm.** *See part(s) per million (ppm)*
- procedure(s)**
 - ground-skidding, 7-4
 - sawing, 8-11
- prop, lumber, 9-1**
- pulleys, 8-2, 8-20**
- railroad ties, 6-3**
- receders, 8-3**
- reference height, 2-2, 2-5**
- regeneration methods, 3-1**
- release cutting, 3-3**
- ring shake, 6-9**
- road(s), 4-1, 7-1**
 - bed, 4-7
 - construction, 4-1, 4-5, 4-9
 - location, 4-1
 - military, 4-5
- ropes, 8-10**
- rot, 8-16, 8-17**
 - circular, 6-9
- rotten trees.** *See trees, rotten*
- safety, 1-3, 8-19, 8-20, 9-4**
 - crew, 8-20
- sample-plot method, 2-13**
- sanitation cutting.** *See cutting(s), sanitation*
- sap stain, 9-3**
- sapwood, 5-4, 9-1**
- saw, 6-1.** *See also chain saw; headsaw*
 - kerf, 6-7
 - off the corners, 5-4
- sawdust, 8-11, 8-19**
- sawing**
 - oversized logs, 8-18
 - procedures, 8-11, 8-12, 8-14, 8-15
- sawmill(s)**
 - components, 8-1
 - crew, 8-6
 - military, 8-1
 - operator, 8-1

- procedures, 8-11
- semitrailer-mounted, 8-11
- trailer-mounted, 8-9
- sawyer, 8-6, 8-12
- scale(s), 6-4, 6-6
- scale book, 6-3
- scaling, 6-1, 6-3, 6-4, 8-9
- Scribner Decimal C Log Rule, 6-3, 6-4, 6-7
- seed-tree method, 3-2. *See also* regeneration methods
- selection thinning, 3-2. *See also* thinnings
- semitrailer, 1-2. *See also* sawmills, semitrailer-mounted
- networks, 8-18
- networks and receders, 8-3
- shake, 8-16
- shelterwood method, 3-2. *See also* regeneration methods
- silvicultural system, 3-1
- size standards, 8-18
- skid road, 4-5, 4-7, 4-8, 7-1, 5-2
- skidding, 4-1. *See also* procedure(s), ground-skidding
- skidding equipment, 1-2, 4-8, 7-1
- skidway, 7-5
- sliding, 7-1
- slip chains, 7-2
- slope, 2-7, 4-1, 4-4
 - correction factor, 2-5
 - stabilization, 4-5
 - stakes, 4-5
- softwood, 6-1, 8-12
- sortedlength piling, 9-4
- stands. *See* tree, stands
- standard rule, 6-7, 6-9
- steep downslope, 5-2
- steep upslope, 5-1
- stick
 - measuring, 6-3
 - scale, 6-4
- stickers, 9-4
- stump(s), 4-5, 5-1 through 5-4, 7-1
 - rot, 6-9
- stumpage, 2-1
- surveying, 4-4
- sweep and crotch, 6-9
- switchback, development of, 4-8
- table of organization and equipment (TOE), 1-1, 1-2
- tallying, 2-9
- team, 1-1, 4-4, 8-9. *See also* engineer forestry team
- thank-you-ma'am, 4-6
- thinning from above, 3-3
- ties, railroad, 6-3
- timber, 6-2, 6-3, 8-18
 - cruising, 2-1
 - cruising operations, 2-12
 - harvesting, 3-1
- TOE. *See* table of organization and equipment (TOE)
- tongs, 7-2, 7-4
- topography, 4-1, 4-4
- tractor, 1-2, 4-9, 5-6, 7-4, 7-5
- trailer bolster, 1-2
- transportation, 1-1, 1-2
 - equipment, 1-2
 - operations, 7-1
- tree(s). *See also* butt, tree
 - calipers, 2-2
 - heights. *See* measuring tree heights
 - inclined, 5-1
 - leaning, 2-4, 5-4
 - lodged, 5-7
 - rotten, 5-6
 - stands, 2-12, 3-1 through 3-4
- trimming, 6-1, 6-4, 8-17

truck, 9-1

bolster, 1-2

trailer, 1-2

turners, log, 8-3

undercut. *See* Humboldt undercut; making the undercut

uneven-aged system, 3-1. *See also* forest systems

vertical trees, 2-5

volume table, 2-9, 2-11

warp, 9-1

weeding, 3-3

well-balanced trees, 5-1

winch, 7-4

cable, 7-5-8, 7-2

power, 4-8

wind checks, 6-9. *See also* defects

wire rope, 7-1

yard crew, 8-9